



**UNOBTAINIUM
SUPPLY CO.**

Precision solutions
for the uncommon.

Product & Services Catalog

Effective 08-MAR-2026



Product & Services Catalog

Table of Contents

Table of Contents	2
NEW PRODUCTS:.....	4
Coachwork and Interior Trim Products	6
K-Jetronic (CIS) Products:	24
3x8 TARGA LATCH Parts & Restoration Service:.....	30
Column Switch Parts:.....	31
Column Switch Services:	36

Contact Information

Unobtainium Supply Co.
190 Vaughn Hill Road
Bolton, MA
USA 01740-1010


Email: info@unobtainiumsupply.com


Web Page: <http://www.UnobtainiumSupply.com/>

Facebook: <https://www.facebook.com/Unobtainium-Supply-Co-322805308326/>



NEW PRODUCTS:

	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	60164001	Bezel, Ignition Lock Surround	All variants: 308 & 328	1 oz
	F106AB VIN PLATE	UNSCRATCHABLE 308GTB VIN plate Very exact reproduction	Carb'd 308GTB	1 oz



	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	AUTOVETTURA A EC GTB	UNSCRATCHABLE 308GTB F106AB AUTOVETTURA EURO compliance plate. very exact reproduction	Early Euro 308GTB	1 oz
	ADJCVR- UPRSM	Seat Adjuster Upper Cover, smooth finish (for LH #40124604 & RH #40124703 adjusters)	308, 512BB	2 oz
	129620	Cover, Coil Wire Protective	208 Turbo, 328, 412 Mondial3.2 Testarossa	2 oz

Coachwork and Interior Trim Products

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
		Bezel, Lever Satin Black, Unbreakable AI (See our matching Unscratchable Label Plate Sets)	308GT4, others	2 oz 8 oz/4
	60044302-BEZL	Bezel, Lever Chrome Unbreakable AI (See our matching Unscratchable Label Plate Sets)	308GTS/B Can be used on: 400, Daytona, others	2 oz 8 oz/4
	60548100-BEZL	Bezel, Lever Early Chrome Unbreakable AI, w/groove on tab, 1 hole w/rounded ends (See our matching Unscratchable Label Plate Sets)	206/246, 365 GTB4, Boxer, others	2 oz 8 oz/4
	60073905-FLEX	Boot Prop Flex Joint	308	3 oz




<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	61652700-HLDR	Bulb socket holder, taillight	Testarossa	2 oz
	60551400	Bumper, Rubber Mid Louver, Newer – 1 pair	1981-- 328 308 GTS & GTB	2 oz
	20106001 Superceded from 60551400	Bumper, Rubber GTS Louver, corner – 1 pair	all 3x8 GTS, also Mid louver GTS up to 1981	2 oz
	BELTBKRKT-A	Cover, Seat Belt Bracket Style A Qty 1 (Snaps onto the metal bracket)	308 Carb'd others	1 oz




<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	BELTBRKT-B	Cover, Seat Belt Bracket Style B Qty1 (Curved front)	308 Carb'd others	1 oz
	BELTBRKT-C	Cover, Seat Belt Bracket Style C Qty 1 (Mounts by snapping around the washer under the bolt head)	308 2V injected others	1 oz
	20107801-CYL	Cover, Seat Belt Bracket Dino (Cylinder inside snaps onto bolt head)	Dinos, others	1 oz
	20107801-KLIP	Cover, Seat Belt Bracket Dino (KLIPPAN molded on top.) Specify: Symmetric or Asymmetric mounting, sold as pairs)	Dinos, others	2 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	113047-CRYSTAL	Crystal, flat optical glass 46.84mm diameter w/notch for clock stem	Dinos, 308, 328, others	1 oz
	116956-CRYSTAL	Crystal, flat optical glass 46.84mm dia. Small instrument (temp, pressure) NOTE: Optical glass crystals for larger instruments is custom orderable, contact us for a quote.	Dinos, 308, 328, others	1 oz
		Emblem, '308' Black Chrome Plastic	308	3 oz
		Emblem,308 Black Plastic	308	2 oz
	60623200	Antenna Gasket, Bosch Autojet II & others	Most '70s & '80s Ferraris	1 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	60623100	Antenna Base, Bosch Autojet II	Most '70s & '80s Ferraris	1 oz
	50371103 - SET	Bumper End Trim, set of 4 pcs & 4 plastic friendly rivets.	Boxer	
	61455400	Bezel, 308 Door Handle - 1 pair	1980 & newer 308s, 288 GTO	1 oz
	61111300-KNOB	Knob, Mirror Switch	308 QV	1 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	60086105- HSNG	Latch Housing, Boot (engine cover) w/hole for cable.	308/328	2 oz
	61756700- HSNG	Latch Housing, Bonnet (spare tire cover) w/raised boss for cable.	308/328/ Testarossa/ 512TR	2 oz
	50036508- HSNG	Latch Housing, Bonnet & Boot	308GT4, Dino 206 GT and 246 L-series, 512 BB & BBI, 288 GTO	4 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	LVRPLT-INJV8	Lever Label Plate Set, Unscratchable, Injected V8 Cars (2-TEMP w/red & blue bars, 2-DEF w/windshield icon)	308 QV, 308 GTSi/GTBi, others	1 oz
	LVRPLT-CARBD	Lever Label Plate Set, Unscratchable, Carb'd Cars (1-TEMP w/red & blue bars, 2-DEF,1-CHOKE)	Carb'd 308s, others	1 oz
	LVRPLTDINO	Lever Label Plate Set, Unscratchable, Dinos (1-TEMP w/red & blue dots, 2-DEF,1-CHOKE)	308 GT4, 246 Dino	1 oz


<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	LVRPLTDINO-EARLY	Lever Label Plate Set, Unscratchable, Euro Dinos w/2 heaters (1- w/red & blue dots for temp, 2-DEF, 1-w/red & blue dots for choke)	246 Dino	1 oz
	LVRPLTDINO-DWNARROW	Lever Label Plate Set, Unscratchable, Euro Dinos w/ 1 heater (1- w/O & down arrow, 2- w/red & blue dots, 1-DEF)	246 Dino	1 oz
	LVRPLTV12	Lever Label Plate Set, Unscratchable, Vintage V12 Cars (2-TEMP w/red & blue dots, 2-DEF)	365 GT Daytona, Later 400i others	1 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	LVRPLLTDAYT	Lever Label Plate Set, Unscratchable, Late Daytonas w/CHOKE on console (2-TEMP w/red & blue dots, 2-DEF, 1 CHOKE)	Late Daytona	1 oz
	BBLVRPLTS	Lever Label Plate Set, Unscratchable, 12 Cyl. BB Cars & Early 400i (1-TEMP w/red & blue dots, 2-DEF)	365BB, 512BB, 512BBi, Early 400i, others	1 oz
	62188800	MIRROR INNER COVER PLATE SX (LEFT), triangular inside door Unlike the original, this item will not become sticky, bubbly, or messy over time.	348	

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	62188700	MIRROR INNER COVER PLATE DX (RIGHT), triangular inside door Unlike the original, this item will not become sticky, bubbly, or messy over time.	348	
	60991602	Mirror End Cap, Rear, rounded	US 308/328	1 oz
	60991600	Mirror Front Cap, Trapezoidal w/textured top	US 308/328	1 oz
	60991600-UNI	Mirror Front Cap, Trapezoidal w/UNIELEKTRA text top	US 308/328	1 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	106531-RNG	Jack Handle Ring, Hard Plastic, marked 2186752	308, Dino, others	
	16042940-EZ	EZBleed Thermostat Bolt + reusable fiber washer (Bleed thermostat housing w/o removing bolt!)	308, 328, Mondial8 & QV	1 oz
	95800014	Radiator Bleed ThumbScrew	308, 328 others	2 oz
	607E82142-RING	Fuel Cap Rubber Grip Ring	Dino, 308, 365, 246, Daytona & others	

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	106814-D	Shift Shaft Bushing, Delrin (Replaces SilentBloc)	308,328, 355,Boxers, Testarossa, Mondial8,Q V, & 3.2	2 oz
	SHIFOTALTOOL	Shifter Alignment Tool Keeps Shifter centered in gate while working on shift linkage.		
	106814-TOOL	Shift Shaft Bushing Removal & Insertion Tool (Delrin & SilentBloc)		2 oz
	95970630-US	Shift Detent Tool – Equivalent to FERRARI tool AV-630. Retains the shift rod detent balls & springs under tension to keep the shift rods aligned while changing shift seals, shift bushings or adjusting shift	308, 328, Mondial8/ QV/3.2	2 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
		forks.		
	115372-Q	Shift Shaft Seal, VITON™ Quattro, 1 pair – replaces square caseless seal #115372	Late Injected & QV 308, 328, later Mondial8, MondialQV & 3.2	1 oz
	105558-Q	Shift Shaft Seal, VITON™ Quattro/O-ring combination – replaces early style O-ring seals #105558 with a Quattro ring/O-ring pair.	Carb'd & early injected 308s & Mondial8, 308gt4	1 oz
	60037504 & 60063203-AER	Unscratchable 308 Switch Plate Set, Old FHW w/AERIAL	79 & earlier 308, 308GT4	1 oz
	60770800 & 60063203-AER	Unscratchable 308 Switch Plate Set, Newer FHW w/AERIAL	79 & newer 308 w/o heated rear window	1 oz
	60770800 & 60063203-RDEF	Unscratchable 308 Switch Plate Set, Newer FHW w/REAR-DEF	308 QV w/heated rear window	1 oz
	512BBSWPLTS	Unscratchable 512BB Switch Plate Set, 5 plates	512BB	1 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	60712600	Unscratchable R. FOG Switch Plate	Euro 308s w/fog light	1 oz
	117275-Q	Cam Seal Housing kit of 4 VITON™ Quattro Rings	4V engines from 308 & 328 thru 550	5 oz
	CAMLOCK2V	Cam Gear Locking Tool, 2V engine front & rear bank pair.	308, Mondial8	1 lb 4 oz
	CAMLOCK4V	Cam Gear Locking Tool, 4V engine front & rear bank pair.	308QV & 328	12 oz
		Lens, Dino Turn Signal	246 GT4,	

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
		(Sold in pairs to ensure color match)	Some Alfa models	
	SHOCK-KIT	Complete Shock adapters kit for Varishock or QA1: 1 pair of Paper Weights + 4 wheel set of Shock Adapter Bushings		2 lb 15 oz
	PAPERWEIGHT S	Paper Weight, Stretched Shock Eye, avoids modifying front A-Arms when installing Varishock or QA1 – 1 pair	328 before s/n: 76626, & all 308	1 lb 8 oz /pair
	QA1BUSH	Shock Adapter Bushings, 12mm to 3/4" Varishock & QA1 - 4 wheel set	328 before s/n: 76626, & all 308	1 lb 7 oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	2VAIP	Air Injection Plugs, 2V, M14x1.5 thread Set of 8	2V & early QV 308 & Mondial	11 oz.
	4VAIP	Air Injection Plugs, 4V, M16x1.5 thread Set of 8	Later QV 328, Mondial3.2, & 348	14 oz.
	60044401	Vent, Dash – Kidney shaped (qty 1)	208, 3x8, 288 GTO	2Oz.

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	61738800	328 round dash vent complete (qty 1)	328	3 Oz
	61738800-REPKT	328 dash vent repair kit – 2 louvers + link	328	2 Oz

<u>Image</u>	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	61708800-CAP	Windshield Washer Reservoir Cap	328	1 oz

K-Jetronic (CIS) Products:

	Part#	Description	Used On	Shipping Weight
	K-JETP	<p>K-Jetronic (CIS) Plastic Fuel Line Restoration Kit. Sufficient Correct 5mm, 6mm, & 8mm polyamide line to restore the injection system.</p>	308, Mondial (Euro & US cars with all plastic lines)	8 oz.
	K-JETSS&P	<p>K-Jetronic (CIS) SS & plastic Fuel Line Restoration Kit. Sufficient Correct 5mm black, 6mm black & 8mm SS braid covered polyamide line & metal sleeves to restore the complete CIS system.</p> <p>This kit includes everything in our Stainless Braided fuel lines kit below as well as the smaller plastic lines.</p> <p>It can also be used to restore the small plastic lines & retrofit the safer SS braided lines into a Euro or early US car that currently has all black plastic lines.</p>	308,328, Mondial (Euro & US cars)	1lb.

Part#	Description	Used On	Shipping Weight
	<p>K-JETSSONLY</p>	<p>K-Jetronic (CIS) Stainless Braided Fuel Lines Restoration Kit.</p> <p>Sufficient Correct 8mm SS braid covered 8mm polyamide line & sleeves to restore the following SS braided lines:</p> <ul style="list-style-type: none"> - Distributor inlet line - Distributor return line - Distributor to frequency valve line - Accumulator to filter line. <p>This kit can also be used to retrofit SS braided lines into a car with 8mm OD black plastic for these lines.</p>	<p>308,328,Mo ndial</p> <p>1lb.</p>
	<p>115532-USKIT</p>	<p>Kit to replace 115532 Fuel Pump to Accumulator line. Contains 2 swivel nuts, 2 sleeves & SS braid covered fuel line.</p>	<p>308,328,Mo ndial (Euro & US cars), 512BBi</p> <p>12 oz</p>
	<p>119305-USKIT</p>	<p>Kit to replace 119305 Fuel Pump to Accumulator line. Contains 1 banjo, 1 swivel nut, 2 sleeves & SS braid covered fuel line.</p>	<p>308,328,Mo ndial (Euro & US cars), 512BBi</p> <p>12 oz</p>

	K-JETBBI	K-Jetronic (CIS) Fuel Line Restoration Kit. Sufficient Correct 5mm, 6mm, & 8mm polyamide line to restore the injection system.	512 BBI	1lb
	K-JET400	K-Jetronic (CIS) Fuel Line Restoration Kit. Sufficient Correct 5mm, 6mm, & 8mm polyamide line to restore the injection system.	400i, 412	1lb
	K-JETP911	K-Jetronic (CIS) Plastic Fuel Line Restoration Kit. Sufficient Correct 5mm, 6mm, & 8mm polyamide line to restore the injection system	Porsche 911	8 oz.
	K-JETSS&P911	K-Jetronic (CIS) SS & plastic Fuel Line Restoration Kit. Sufficient Correct 5mm black, 6mm black & SS braid covered 8mm polyamide line & metal sleeves to restore the complete CIS system. This kit can also be used to restore the small plastic lines & retrofit the safer SS braided lines into a car that currently has all black plastic lines.	Porsche 911with SS braid covered lines)	1lb.

	Part#	Description	Used On	Shipping Weight
	K-JETTR	K-Jetronic (CIS) SS & plastic Fuel Line Restoration Kit. Sufficient Correct 6mm black & SS braid covered 8mm polyamide line & metal sleeves to restore the complete CIS system.	Testarossa & TR	1 lb
	7001.0851	17mm long sleeve for 6mm OD SS Braid covered line		1 oz
	7001.1052	18mm long sleeve for 9mm OD SS Braid covered line		1 oz
	7010.0600 + 8031.0600	Conical nipple with barb for 6mm ID fuel line and M14x1.5 swivel nut,		1 oz
	7040.90.0652	90 degree nipple with M14x1.5 swivel nut for 6mm ID line.		1 oz

	7081.0600	Banjo fitting for 6mm ID line w/thru-hole for M12x1.5 banjo bolt		1 oz
---	-----------	--	--	------

Part#	Description	Used On	Shipping Weight	Price
	113975-TOOL	K-Jetronic (CIS) Fuel Injector Puller/Installer tool	All Ferraris with CIS	9 oz \$97 each
	K-JETBTOOL	K-Jetronic (CIS) Barb Insertion Tool	All Ferraris with CIS	9 Oz \$97 each

3x8 TARGA LATCH Parts & Restoration Service:

	<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
	60395506-NSPR	Targa Top Latch Rubber Boot (new style w/holes for latch hinge cap screws), 1 pair	3x8 GTS	3 oz
	60395506-PR	Targa Top Latch Rubber Boot, 1 pair	3x8 GTS	3 oz
	60421500-NOSE	Targa Top Latch Rubber Nose restoration: You send the latch to us. We remove all remnants of the old rubber nose, mold a new polyurethane nose.	3x8 GTS	
	60421500-L	Remove broken metal angle reinforcing piece inside of nose, make & weld a new one on. (About 50% of the latches we receive also require this)		


Column Switch Parts:

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>	<u>Price</u>
116780	<p>NEW: Ferrari 308 Column/Cluster/Headlight Switch - black body w/satin black stalks.</p> <p>The black stalks can be stripped & re-plated satin silver for an additional fee.</p> <p>Daytona/330 style petal knobs can be molded onto the wiper & turn stalk ends for an additional fee.</p>	<p>308 QV GTS GTB GT4 Dino</p> <p>Usable for Daytona & 330s, etc. by modifying the switch housing for stalk clearance.</p>	<p>3 lbs</p> <p>Special order from Europe, approx.. 2-3 weeks</p>	<p>Request current price.</p>
<p>Vitaloni 745 series switch (black body)</p> 				
116780-CONTACT	<p>Column Switch Brass U-shaped Contact</p> 			

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
KNOB328HDLT 	Knob ¹ , 328/Mondial Headlight	328, 400i Mondial	2 oz
KNOB328WIP 	Knob ¹ , 328/Mondial Wiper	328, 400i Mondial	2 oz
KNOBHDLTV 	Knob ¹ , 308 Headlight, for stalk with V shaped contacts inside the knob.	308 QV, later GTSi & GTBi some 246 Dino, Daytona	2 oz
KNOBHWDWRP 	Knob ¹ , Headlight – for stalks with contacts that wrap around the switch body inside the stalk.	Early 308s, 308GT4, 246 Dino, Daytona	2 oz

¹You should know that while the icon grooves will be impressed into the new knob, they will not be filled with white.

We have not come up with a cost effective way of marking the Icons. It is doable, but just takes several hours of work with a fine artist's brush, white lacquer, and usually some sanding & polishing.

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>	
KNOBRETRING	Mold a new twist knob retaining ring around stalk	Headlight,. Or Wiper w/twist knob		
TABTCREP 	Turn Cancel Post Repair: Machine broken tab area, Design & 3D print a custom retaining tab.	328, 308 Mondial, some 246 Dino, Daytona		
RINGTCANCL	Ring, Turn cancel black body switch w/o brass horn commutator ring	246 Dino, others	2 oz	
	Transfer brass horn commutator ring & horn contact wire from your old turn cancel ring			
	Make a new brass horn commutator ring & horn contact wire & install on turn cancel ring			

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
STALK-HDLT	Stalk, Headlight w/twist knob ¹	328, 308 QV GTS GTB GT4, Mondial, Dino & Daytona	6 oz
STALK- NOTWISTBLK	Stalk, Turn Signal or Wiper w/o twist knob ¹ (Black shaft)	308/328/TR/ 348	3 oz
STALK- NOTWIST	Stalk, Turn Signal or Wiper w/o twist knob ¹ (Satin Metal shaft)	365, 246 Dino, Early 308s, 308GT4, others	3 oz
STALK- WIPSWITCH	Stalk, Wiper w/Twist Kno1b (Black shaft)	328 & Mondial	4 oz
STALK-PETAL	Stalk, Headlight, turn, or wiper w/petal knob	330 GTC, Dino, others w/chrome plated or satin metal stalks	6 oz



¹You should know that while the icon grooves will be impressed into the new knob, they will not be filled with white.

We have not come up with a cost effective way of marking the Icons. It is doable, but just takes several hours of work with a fine artist's brush, white lacquer, and usually some sanding & polishing.

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
REINFBAND 	Reinforce Pivot Post or top plate mounting boss-machine & custom fit a reinforcing band around the boss.	Any column switch	

Column Switch Services:

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
Column Switch Stalk Svc Vitaloni 745 series switch (black body):	Stalk Repair Service (Mold 1 new knob ¹ or pivot end on a stalk) You remove/install stalk.	308, 328, 348 Wiper, 308,328, 348, 400i, 412 or Mondial Turn Signal 308,328, or Mondial Headlight,. 328, 400i, 412 or Mondial Wiper w/twist knob	6 oz
	We Remove & reinstall stalk		
Column Switch Stalk Svc – 330 GTC, 275, 365 GT4, Daytona, 246 Dino(early), others w/similar Vitaloni 745 white body switch	Stalk Repair Service (Mold 1 new knob ¹ or pivot end on a stalk) You remove/install stalk.	Wiper/Turn Signal or Headlight w/petal knob Headlight w/Twist Knob	6 oz
	We Remove & reinstall stalk Make & Silver braze new headlight pivot end internal reinforcement (refinishing service also required)		

¹You should know that while the icon grooves will be impressed into

the new knob, they will not be filled with white.

We have not come up with a cost effective way of marking the Icons. It is doable, but just takes several hours of work with a fine artist's brush, white lacquer, and usually some sanding & polishing.

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
Vitaloni 745 switch Headlight or Wiper twist switch mechanism repair	Mold new contact holder body onto stalk, transfer contacts to body, and solder wires to contacts. If this is the only stalk end being replaced as part of a full switch service, instead add this amount to the service price: Replacement wrap style contact Remove & reinstall stalk	All Vitaloni 745 switch variants	



<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
Column Switch Stalk Strip & Refinishing Service	<p>Strip the old black or silver finish off of a stalk. Remove any corrosion & treat to prevent it recurring. Silver stalks can be electroplated with satin zinc & clear coated, or refinished with satin black. Black stalks refinished satin black.</p> <p>If the stalk has severe pitting/corrosion it will be sand blasted, then plated & sanded multiple times to make a best effort to fill the pitting.</p> <p>The clearcoated satin zinc electroplating we use will most likely appear somewhat brighter than the aged silver finish on the other stalks of a switch. If you want all stalks to closely match, they all must be refinished.</p>	<p>Any black or satin silver column switch stalk</p> <p>Stalk with severe corrosion/pitting</p>	

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
Column Switch Black Stalk Strip & color change Service	Strip the old black finish off of a stalk. Remove any corrosion & treat to prevent it recurring. Electroplate satin zinc & clearcoat.. The satin zinc electroplating we use will most likely appear somewhat brighter than the aged silver finish on the other stalks of a switch. If you want all stalks to closely match, they all must be refinished.	Any black column switch stalk	

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
Column Switch Full Service & Repair 1 stalk end.	<p>Disassemble the switch, check it over for wear & to see if any additional parts are developing cracks, clean, remove tarnish from contacts, lube contacts & moving parts, polish knobs, clean lettering & icons, then reassemble & test.</p> <p>If necessary mold 1 new knob or pivot end on a stalk.</p> <p>Additional repairs will be charged on a time & materials basis. (e.g.: Restore broken wiper detent post: on main body: \$125)</p> <p>We warrant the restored switch for 1 year.</p>	<p>Vitaloni 745 series black body switch: 365 GT4, 246 Dino, 308GT4, 308, 328 others w/same style switch</p> <p>745 white body SW: 330 GTC, 275, 365 GT4, 246 Dino(early), others.</p>	3 lb

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
Column Switch Full Svc w/new stalk	As above, but includes one complete new Wiper or Turn Signal stalk.	365 GT4, 246 Dino, 308GT4, 308, 328 others Headlight, or 288GTO, 328, or Mondial Wiper 330 GTC, others w/chrome plated stalks	3 lb

<u>Part#</u>	<u>Description</u>	<u>Used On</u>	<u>Shipping Weight</u>
TR or 348 Column Switch Full Service & Headlight Stalk cam replacement	Remove headlight switch rivets, Remove Turn & wiper housing screws, disassemble clean & detarnish headlight, turn & wiper switch mechanisms, Mold a new cam onto the headlight stalk, lubricate mechanisms & Reassemble w/custom made plastic friendly screws If riveted Turn & wiper housings, remove rivets & replace with w/custom made plastic friendly screws	Testarossa, TR, 512, 348, MondialT, others.	~3 lb
TR & 348 headlight stalk cam cage	Mold a new cam cage around cam on headlight stalk	“	
Column Switch Stalk Svc 348 & TR series	Stalk Repair Service (Mold 1 new knob, pivot end or CAM onto a stalk) You remove/install stalk.	348, TR series Wiper, or Turn Signal	6 oz
Screwed Turn or Wiper signal mechanism service	:Remove screws, disassemble, mold new pivot end onto stalk, clean & detarnish contacts, reassemble.	Testarossa, TR, 512, 348, MondialT, others.	

Riveted Turn or
Wiper signal
mechanism
service:

Remove rivets,
disassemble, mold new
pivot end onto stalk, clean &
detarnish contacts,
reassemble w/custom
machined plastic friendly
screws

“
